



GALEX

الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.

STANDARD SERIES



المجلس القطري للألمنيوم
GULF ALUMINIUM COUNCIL





الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

FLAT BAR SERIES



Sl.	SEC NO.	Description		WEIGHT kg/mtr	Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T				A	T	
01.	11149	10.00	3.00	0.081	32.	11147	50.00	2.00	0.270
02.	11157	10.00	4.00	0.108	33.	11170	50.00	3.00	0.405
03.	11156	15.00	3.00	0.122	34.	11171	50.00	4.00	0.540
04.	11106	16.00	3.00	0.129	35.	11152	50.00	5.00	0.675
05.	11104	18.40	4.00	0.199	36.	11118	50.00	6.00	0.810
06.	11128	20.00	2.00	0.108	37.	11162	50.00	8.00	1.080
07.	11141	20.00	3.00	0.162	38.	11153	50.00	10.00	1.350
08.	11183	20.00	4.00	0.216	39.	11181	50.00	15.00	2.025
09.	11196	20.00	5.00	0.270	40.	11148	60.00	2.00	0.324
10.	11184	20.00	12.00	0.684	41.	11142	60.00	3.00	0.486
11.	11139	22.00	4.00	0.238	42.	11144	60.00	4.00	0.648
12.	81046	25.00	1.60	0.108	43.	11188	60.00	8.00	1.296
13.	11140	25.00	2.00	0.135	44.	11163	60.00	10.00	1.620
14.	11114	25.00	3.00	0.203	45.	11164	60.00	12.00	1.944
15.	11159	25.00	5.00	0.338	46.	11119	65.00	15.00	2.632
16.	11127	25.00	8.00	0.540	47.	52022	69.00	8.00	1.490
17.	11185	25.00	10.00	0.675	48.	11174	70.00	20.00	3.780
18.	11105	30.00	2.00	0.162	49.	11165	80.00	5.00	1.080
19.	52004	30.00	3.00	0.243	50.	11182	80.00	6.00	1.296
20.	11145	30.00	5.00	0.405	51.	11166	80.00	8.00	1.728
21.	52003	30.00	10.00	0.810	52.	11154	80.00	10.00	2.160
22.	11197	35.00	3.00	0.284	53.	11125	90.00	5.00	1.215
23.	11150	35.00	6.00	0.567	54.	11186	100.00	1.60	0.432
24.	11146	40.00	2.00	0.216	55.	11143	100.00	3.00	0.810
25.	11115	40.00	3.00	0.324	56.	11167	100.00	5.00	1.350
26.	11173	40.00	4.00	0.432	57.	11101	100.00	6.00	1.620
27.	11117	40.00	5.00	0.540	58.	11103	100.00	8.00	2.160
28.	11180	40.00	15.00	1.620	59.	11109	100.00	10.00	2.700
29.	11160	40.00	20.00	2.160	60.	11124	110.00	4.00	1.188
30.	11161	40.00	30.00	3.240	61.	11126	110.00	6.00	1.782
31.	11151	45.00	5.00	0.608	62.	11158	120.00	5.00	1.620





الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

FLAT BAR SERIES



Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T	
63.	11172	120.00	10.00	3.240
64.	11122	130.00	10.00	3.510
65.	11138	140.00	6.00	2.268
66.	11187	150.00	1.60	0.648
67.	11177	150.00	5.00	2.025
68.	11116	150.00	6.00	2.430
69.	11110	150.00	8.00	3.240
70.	11155	150.00	10.00	4.050
71.	11129	150.00	12.00	4.860
72.	11168	150.00	15.00	6.075
73.	11178	150.00	20.00	8.100
74.	11123	170.00	10.00	4.590
75.	50107	180.00	3.00	1.458
76.	11120	200.00	10.00	5.400
77.	11176	200.00	15.00	8.100
78.	11179	200.00	20.00	10.800
79.	11169	250.00	10.00	6.750






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



Licence No. 4203

FLAT BAR WITH CORNER RADIUS



Sl.	SEC NO.	Description		WEIGHT kg/mtr	Remarks
		A	T		
01.	11190	10.00	2.00	0.053	0.50mm Corner Radius
02.	11189	25.00	2.00	0.134	0.75mm Corner Radius
03.	11107	25.00	4.00	0.270	0.50 mm corner radius
04.	51262	25.00	8.00	0.537	1.00 mm Chamfer
05.	11108	30.00	4.00	0.323	0.50 mm corner radius
06.	11131	30.00	10.00	0.808	1.00 mm corner radius
07.	51153	31.60	1.50	0.127	0.30 mm Cr & V Groove
08.	11132	40.00	6.00	0.647	0.50 mm corner radius
09.	11133	40.00	10.00	1.078	1.00 mm corner radius
10.	11121	50.00	6.00	0.806	0.5 x 0.75mm Serrations
11.	51263	50.00	8.00	1.077	1.00 mm Chamfer
12.	11134	50.00	10.00	1.348	1.00 mm corner radius
13.	11135	60.00	5.00	0.809	0.50 mm corner radius
14.	11137	65.00	15.00	2.623	2.00 mm corner radius
15.	11136	100.00	10.00	2.698	1.00 mm corner radius
16.	11130	138.00	15.00	5.577	1.5 mm corner chamfer
17.	50284	200.00	3.00	1.610	3.00 mm corner radius






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

ROUND TUBE



Sl.	SEC NO.	Description		WEIGHT kg/mtr	Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T				A	T	
01.	12040	6.00	1.00	0.042	32.	12038	36.00	1.50	0.439
02.	12072	8.00	1.00	0.059	33.	12001	38.10	3.00	0.893
03.	47433	11.60	0.80	0.073	34.	12024	38.10	4.00	1.157
04.	12036	15.00	1.50	0.172	35.	50561	39.00	1.50	0.477
05.	81015	15.88	1.20	0.149	36.	12087	40.00	1.00	0.331
06.	47240	16.00	1.20	0.151	37.	12010	40.00	1.50	0.490
07.	64119	16.00	2.00	0.238	38.	12016	40.00	1.60	0.521
08.	12075	18.00	1.50	0.210	39.	12043	40.00	2.00	0.645
09.	47319	18.80	1.10	0.165	40.	12092	40.00	2.50	0.795
10.	81024	19.00	1.20	0.181	41.	12063	40.00	3.00	0.942
11.	12034	19.00	1.50	0.223	42.	12076	42.00	2.00	0.679
12.	81025	19.00	1.60	0.236	43.	12047	42.00	3.00	0.992
13.	12007	19.10	3.00	0.408	44.	12023	42.50	6.00	1.858
14.	12061	20.00	1.50	0.235	45.	12022	43.00	4.00	1.323
15.	12054	20.00	2.00	0.305	46.	12055	45.00	1.50	0.553
16.	12070	20.00	5.00	0.636	47.	12017	44.00	4.80	1.596
17.	12032	22.00	1.50	0.261	48.	12009	47.00	4.25	1.541
18.	12015	25.00	1.30	0.261	49.	12052	48.00	2.00	0.780
19.	12067	25.00	1.50	0.300	50.	12044	48.00	3.00	1.145
20.	81019	25.00	1.60	0.318	51.	12033	48.00	4.00	1.493
21.	12050	25.00	2.00	0.390	52.	12042	48.30	3.00	1.153
22.	12057	25.00	2.50	0.477	53.	12029	48.50	3.25	1.247
23.	12008	25.40	3.00	0.570	54.	12028	48.50	4.00	1.510
24.	12062	30.00	1.50	0.363	55.	12030	50.00	1.40	0.577
25.	12048	30.00	2.00	0.475	56.	12096	50.00	1.50	0.617
26.	12049	30.00	3.00	0.687	57.	12019	50.00	1.55	0.636
27.	12000	31.80	3.00	0.732	58.	12056	50.00	1.80	0.736
28.	12037	33.00	3.00	0.763	59.	28019	50.00	2.00	0.814
29.	12069	34.90	2.00	0.558	60.	12018	50.00	2.50	1.007
30.	12060	35.00	3.00	0.814	61.	12041	50.00	3.00	1.196
31.	12091	35.00	5.00	1.272	62.	12077	50.00	5.00	1.909






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

ROUND TUBE



Sl.	SEC NO.	Description		WEIGHT kg/mtr	Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T				A	T	
63.	12011	50.80	3.00	1.216	83.	12051	80.00	5.00	3.181
64.	12025	50.80	4.00	1.588	84.	12027	86.50	2.00	1.434
65.	12045	51.00	2.00	0.831	85.	12082	88.90	3.00	2.186
66.	12020	52.50	2.00	0.857	86.	12014	90.00	1.50	1.126
67.	47320	53.50	1.40	0.662	87.	12083	90.00	1.80	1.347
68.	12073	60.00	2.00	0.984	88.	12021	90.00	5.00	3.605
69.	12058	60.00	3.00	1.450	89.	12035	100.00	2.00	1.663
70.	12039	60.00	5.00	2.333	90.	12064	100.00	3.00	2.468
71.	12053	60.00	6.00	2.748	91.	12066	100.00	5.00	4.029
72.	12012	63.50	3.00	1.539	92.	12084	101.60	5.00	4.097
73.	12026	63.50	4.00	2.019	93.	12031	102.00	3.20	2.682
74.	12093	70.00	3.00	1.705	94.	12059	108.00	3.00	2.672
75.	12078	70.00	4.50	2.500	95.	12068	110.00	5.00	4.453
76.	12065	70.00	5.00	2.757	96.	12046	110.00	15.00	12.087
77.	12013	75.00	3.00	1.832	97.	12006	119.40	5.00	4.852
78.	12097	76.00	3.00	1.858	98.	12071	120.00	3.00	2.977
79.	12080	76.20	3.00	1.863	99.	12094	125.00	4.00	4.105
80.	12081	77.30	2.00	1.277	100.	12079	130.00	5.00	5.301
81.	12074	80.00	2.00	1.323	101.	12095	133.00	4.00	4.377
82.	12005	80.00	3.00	1.959					






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.




License No. 4203

SOLID BAR PROFILES



Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T	
01.	12103	8.00	8.00	0.136
02.	12101	10.00	10.00	0.212
03.	12102	12.00	12.00	0.305
04.	12104	16.00	16.00	0.543
05.	12100	19.1	19.1	0.770
06.	12105	25.40	25.40	1.368
07.	12106	31.80	31.80	2.138
08.	12107	38.10	38.10	3.078
09.	12108	50.80	50.80	5.472

Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T	
01.	12112	12.00	12.00	0.389
02.	12111	15.00	15.00	0.608
03.	12113	20.00	20.00	1.084
04.	12110	40.00	40.00	4.320



SOLID ROUND BAR WITH SERRATIONS

Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T	
01.	50486 Sr	25.00	25.00	1.202
02.	50397 Sr	32.00	32.00	2.013

Sl.	SEC NO.	Description		WEIGHT kg/mtr
		A	T	
01.	12114	80.00	50.00	10.800






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



Licence No. 4203

SQUARE TUBE



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T				A	B	T	
01.	12264	12.50	12.50	1.20	0.146	35.	12236	45.00	45.00	1.80	0.839
02.	12201	15.00	15.00	1.10	0.165	36.	12237	45.00	45.00	2.00	0.929
03.	12230	15.00	15.00	1.50	0.218	37.	46093	50.00	50.00	1.00	0.529
04.	12202	20.00	20.00	1.10	0.214	38.	45069	50.00	50.00	1.30	0.684
05.	12281	20.00	20.00	1.30	0.262	39.	12216	50.00	50.00	1.50	0.785
06.	12203	20.00	20.00	1.50	0.299	40.	45071	50.00	50.00	1.80	0.937
07.	12204	20.00	20.00	2.00	0.388	41.	12224	50.00	50.00	2.00	1.037
08.	12258	20.00	20.00	3.00	0.551	42.	81016	50.00	50.00	2.50	1.283
09.	12228	24.00	24.00	2.00	0.475	43.	12217	50.00	50.00	3.00	1.522
10.	46209	25.00	25.00	0.90	0.234	44.	12218	50.00	50.00	4.00	1.987
11.	46089	25.00	25.00	1.00	0.259	45.	12219	50.00	50.00	5.00	2.430
12.	12205	25.00	25.00	1.50	0.380	46.	12239	60.00	60.00	2.00	1.253
13.	12223	25.00	25.00	2.00	0.497	47.	12221	60.00	60.00	3.00	1.846
14.	12225	25.00	25.00	3.00	0.713	48.	12246	60.00	60.00	4.00	2.419
15.	12206	30.00	30.00	1.00	0.313	49.	12238	63.00	63.00	1.60	1.061
16.	12207	30.00	30.00	1.50	0.461	50.	12244	65.00	65.00	2.50	1.688
17.	12229	30.00	30.00	1.80	0.548	51.	12240	70.00	70.00	2.00	1.469
18.	12208	30.00	30.00	2.00	0.604	52.	12251	70.00	70.00	4.00	2.851
19.	12243	30.00	30.00	2.50	0.743	53.	12241	70.00	70.00	5.00	3.510
20.	12209	30.00	30.00	3.00	0.874	54.	12226	75.00	75.00	2.00	1.577
21.	46091	35.00	35.00	1.00	0.367	55.	64108	80.00	80.00	1.30	1.105
22.	12250	35.00	35.00	2.00	0.713	56.	12249	80.00	80.00	2.00	1.685
23.	12247	35.00	35.00	2.50	0.878	57.	12255	80.00	80.00	3.00	2.495
24.	12210	35.00	35.00	3.00	1.036	58.	12252	80.00	80.00	4.00	3.283
25.	45046	40.00	40.00	0.80	0.339	59.	12254	80.00	80.00	5.00	4.050
26.	12211	40.00	40.00	0.90	0.380	60.	12257	100.00	100.00	1.20	1.280
27.	46092	40.00	40.00	1.00	0.421	61.	12220	100.00	100.00	2.00	2.117
28.	47449	40.00	40.00	1.10	0.462	62.	12232	100.00	100.00	3.00	3.142
29.	12261	40.00	40.00	1.20	0.503	63.	12253	100.00	100.00	4.00	4.147
30.	12212	40.00	40.00	1.40	0.583	64.	12248	100.00	100.00	5.00	5.130
31.	12279	40.00	40.00	1.60	0.665	65.	12280	120.0	120.0	3.00	3.791
32.	12213	40.00	40.00	2.00	0.820	66.	12242	120.00	120.00	5.00	6.210
33.	12214	40.00	40.00	3.00	1.198	67.	12256	135.00	135.00	3.00	4.277
34.	12215	40.00	40.00	4.00	1.555	68.	12231	150.00	150.00	2.50	3.982






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

SQUARE TUBE WITH CORNER RADIUS



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	47434	12.30	12.30	1.00	0.121	0.50 mm Corner Radius
02.	47443	14.00	14.00	1.50	0.202	0.20 mm Corner Radius
03.	81037	19.00	19.00	1.20	0.229	1.00 mm Corner Radius
04.	81038	25.00	25.00	1.40	0.346	2.50 mm corner radius
05.	12259	25.00	25.00	1.70	0.415	0.50 mm Corner Radius
06.	49187	27.60	27.60	1.25	0.360	ID MARK
07.	50614	30.00	30.00	1.20	0.336	5mm Cr & Serrations
08.	28021	30.00	30.00	1.20	0.319	6mm Cr & Serrations
09.	52007	30.00	30.00	3.00	0.812	6.00 mm Corner Radius
10.	12260	35.00	35.00	1.40	0.507	0.50 mm Corner Radius
11.	12262	40.00	40.00	1.80	0.742	0.50 mm Corner Radius
12.	81065	40.00	40.00	3.00	1.203	Inside 0.3mm Grooves
13.	12282	50.00	50.00	1.35	0.709	0.50 mm Corner Radius
14.	27835	60.00	60.00	2.50	1.550	1.00 mm Corner Radius
15.	81074	65.00	65.00	2.40	1.626	1.00 mm corner radius
16.	27838	70.00	70.00	3.00	2.169	1.00 mm Corner Radius
17.	81075	75.00	75.00	3.00	2.339	1.00 mm corner radius
18.	64116	79.10	79.10	1.30	1.344	Corner Radius & Serration
19.	52009	80.00	80.00	5.00	3.876	10.00 mm Corner Radius
20.	81010	90.00	90.00	2.00	1.889	3.00 mm corner radius
21.	81014	90.00	90.00	2.00	1.847	6.50 mm corner radius
22.	12245	100.00	100.00	4.00	4.073	6.00 mm corner radius






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



Licence No. 4203

RECTANGLE TUBE



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T				A	B	T	
01.	64109	20.00	10.00	0.80	0.123	32.	12595	50.00	20.00	2.00	0.713
02.	12601	20.00	10.00	1.00	0.152	33.	12640	50.00	25.00	1.40	0.546
03.	12617	20.00	10.00	1.50	0.219	34.	12546	50.00	25.00	2.00	0.767
04.	12551	30.00	15.00	1.50	0.340	35.	12591	50.00	25.00	3.00	1.118
05.	12576	30.00	15.00	2.00	0.443	36.	12592	50.00	30.00	2.00	0.821
06.	12552	30.00	20.00	1.20	0.308	37.	12602	50.00	30.00	2.50	1.013
07.	12604	30.00	20.00	2.00	0.497	38.	12613	50.00	30.00	3.00	1.199
08.	12533	35.00	20.00	1.50	0.421	39.	12634	50.00	35.00	3.00	1.285
09.	12589	35.00	20.00	2.00	0.551	40.	12615	50.00	40.00	2.00	0.929
10.	12635	36.00	18.00	1.20	0.334	41.	12570	57.00	27.00	1.40	0.614
11.	12639	40.00	15.00	1.50	0.421	42.	12577	60.00	20.00	2.00	0.821
12.	12501	40.00	20.00	0.80	0.252	43.	12608	60.00	25.00	2.00	0.875
13.	12502	40.00	20.00	1.00	0.313	44.	12590	60.00	25.00	3.00	1.280
14.	12503	40.00	20.00	1.20	0.373	45.	12545	60.00	30.00	2.00	0.929
15.	12553	40.00	20.00	1.30	0.388	46.	12573	60.00	30.00	2.50	1.148
16.	12554	40.00	20.00	1.40	0.433	47.	12578	60.00	30.00	3.00	1.361
17.	12532	40.00	20.00	1.50	0.462	48.	46210	60.00	40.00	0.90	0.477
18.	12504	40.00	20.00	1.80	0.548	49.	46094	60.00	40.00	1.00	0.529
19.	12524	40.00	20.00	2.00	0.605	50.	45070	60.00	40.00	1.30	0.684
20.	12536	40.00	20.00	2.50	0.742	51.	45049	60.00	40.00	1.40	0.735
21.	12588	40.00	20.00	3.00	0.875	52.	45050	60.00	40.00	2.00	1.037
22.	12662	40.00	20.20	1.00	0.314	53.	12579	60.00	40.00	3.00	1.523
23.	12537	40.00	25.00	2.00	0.660	54.	12593	60.00	40.00	4.00	1.987
24.	12547	40.00	25.00	3.00	0.956	55.	12597	60.00	45.00	3.00	1.604
25.	12624	40.00	30.00	1.20	0.438	56.	12572	69.50	62.50	2.50	1.715
26.	12539	40.00	30.00	1.50	0.543	57.	12584	70.00	20.00	2.00	0.929
27.	12596	40.00	30.00	2.00	0.713	58.	12583	70.00	40.00	5.00	2.700
28.	12548	40.00	30.00	3.00	1.036	59.	12559	80.00	15.00	0.70	0.354
29.	12565	45.00	20.00	2.00	0.659	60.	12636	80.00	15.00	0.80	0.403
30.	12523	50.00	15.00	1.50	0.502	61.	12564	80.00	15.00	0.90	0.453
31.	12643	50.00	20.00	1.50	0.543	62.	12516	80.00	20.00	1.50	0.785






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

RECTANGLE TUBE



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T				A	B	T	
63.	12642	80.00	20.00	2.50	1.282	94.	12511	100.00	50.00	2.00	1.577
64.	12610	80.00	30.00	2.00	1.145	95.	12607	100.00	50.00	2.50	1.958
65.	12560	80.00	40.00	0.80	0.511	96.	12512	100.00	50.00	3.00	2.333
66.	46207	80.00	40.00	0.85	0.543	97.	12500	100.00	50.00	3.45	2.666
67.	12505	80.00	40.00	0.90	0.574	98.	12594	100.00	50.00	4.00	3.067
68.	46095	80.00	40.00	1.00	0.637	99.	12611	100.00	50.00	5.00	3.780
69.	12506	80.00	40.00	1.40	0.886	100.	12544	100.00	60.00	2.00	1.685
70.	12513	80.00	40.00	2.00	1.253	101.	12603	100.00	60.00	4.00	3.283
71.	12571	80.00	40.00	3.00	1.847	102.	12646	100.00	75.00	2.50	2.295
72.	12586	80.00	40.00	4.00	2.419	103.	12558	100.00	75.00	3.00	2.738
73.	12549	80.00	50.00	2.00	1.360	104.	50327	100.00	80.00	3.00	2.819
74.	12568	80.00	50.00	3.00	2.009	105.	47389	110.00	44.00	1.20	0.982
75.	12612	80.00	60.00	3.00	2.171	106.	47277	110.00	44.00	1.30	1.063
76.	52139	90.00	55.00	2.00	1.523	107.	12581	120.00	30.00	3.00	2.333
77.	12625	90.00	70.00	3.00	2.495	108.	12619	120.00	40.00	2.50	2.093
78.	12580	100.00	18.00	2.00	1.231	109.	12616	120.00	40.00	4.00	3.283
79.	12638	100.00	20.00	1.00	0.637	110.	12598	120.00	50.00	4.00	3.499
80.	12507	100.00	20.00	1.10	0.700	111.	12520	120.00	60.00	5.00	4.590
81.	12667	100.00	20.00	1.40	0.886	112.	12574	120.00	80.00	4.00	4.147
82.	12522	100.00	20.00	2.00	1.252	113.	12563	125.00	50.00	2.00	1.847
83.	12587	100.00	25.00	3.00	1.928	114.	12599	130.00	50.00	4.00	3.715
84.	12508	100.00	40.00	1.00	0.745	115.	12556	140.00	40.00	2.00	1.900
85.	12509	100.00	40.00	1.50	1.110	116.	12529	140.00	40.00	4.00	3.716
86.	49153	100.00	40.00	1.60	1.187	117.	12567	140.00	60.00	5.00	5.130
87.	12514	100.00	40.00	2.00	1.469	118.	12606	150.00	18.00	2.00	1.771
88.	12614	100.00	40.00	3.00	2.171	119.	12620	150.00	30.00	3.00	2.819
89.	12531	100.00	40.00	4.00	2.852	120.	12621	150.00	40.00	3.00	2.981
90.	12521	100.00	45.00	5.00	3.645	121.	12600	150.00	40.00	4.00	3.931
91.	44019	100.00	50.00	1.10	0.878	122.	12644	150.00	50.00	1.80	1.909
92.	12510	100.00	50.00	1.60	1.268	123.	12561	150.00	50.00	2.00	2.117
93.	12668	100.00	50.00	1.78	1.407	124.	12645	150.00	50.00	2.40	2.530






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

RECTANGLE TUBE



Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T	
125.	12525	150.00	50.00	3.00	3.142
126.	12605	150.00	50.00	4.00	4.147
127.	12641	150.00	60.00	3.00	3.305
128.	12626	150.00	70.00	3.00	3.467
129.	12528	150.00	75.00	2.65	3.144
130.	12623	150.00	75.00	3.00	3.548
131.	12618	150.00	100.00	2.00	2.657
132.	12630	150.00	100.00	3.00	3.953
133.	12538	200.00	33.00	2.00	2.473
134.	50328	200.00	40.00	3.00	3.791
135.	12637	200.00	50.00	2.00	2.657
136.	12669	200.00	50.00	2.20	2.917
137.	12526	200.00	50.00	2.50	3.308
138.	12519	200.00	50.00	3.00	3.953
139.	12582	200.00	50.00	4.00	5.227
140.	12566	200.00	50.00	4.50	5.856
141.	12569	200.00	55.00	1.80	2.444
142.	12647	200.00	60.00	3.00	4.115
143.	12535	200.00	80.00	3.00	4.439
144.	12575	200.00	100.00	3.00	4.763
145.	12562	250.00	50.00	3.00	4.763
146.	12609	270.00	60.00	3.00	5.249






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

RECTANGLE TUBE WITH CORNER RADIUS



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	47446	24.80	8.00	0.95	0.158	R0.5 x 4 side cr Radius
02.	50698	28.00	29.00	1.40	0.396	6mm Cr & Serrations
03.	50527	30.20	30.00	1.60	0.423	9mm Cr & Serrations
04.	12518	32.00	12.00	1.40	0.300	2.50 mm corner radius
05.	51231	35.00	17.00	2.25	0.578	Corner Radius & Grooves
06.	50659	40.00	20.00	1.80	0.522	4.00 mm Corner Radius
07.	49072	44.00	27.60	1.25	0.471	ID MARK
08.	28033	60.00	20.00	1.40	0.574	2.50 mm corner radius
09.	12663	60.00	20.00	1.50	0.623	0.50 mm Corner Radius
10.	50695	60.50	25.00	1.50	0.657	2.50 mm Corner Radius
11.	12555	60.00	40.00	1.60	0.836	0.50 mm Corner Radius
12.	28029	62.80	17.00	1.10	0.443	4.00 mm Corner Radius
13.	28030	62.80	23.80	1.10	0.476	3mm Cr & 0.2x4mm Grooves
14.	50286	63.00	24.00	1.20	0.515	3mm Cr & 0.3x4mm Grooves
15.	81011	65.00	16.00	1.10	0.457	3.00 mm Corner Radius
16.	81026	65.00	16.00	1.40	0.576	3.00 mm Corner Radius
17.	28032	70.00	20.00	1.60	0.740	2.50 mm Corner Radius
18.	50285	74.40	26.50	1.40	0.733	2.5mm Cr & 0.3mm Grooves
19.	12664	80.00	20.00	1.60	0.836	0.50 mm Corner Radius
20.	49171	80.00	40.00	1.30	0.829	0.30 mm Cr & ID Mark
21.	12665	80.00	40.00	1.30	0.824	0.40 mm Corner Radius
22.	12666	80.00	40.00	1.50	0.947	0.50 mm Corner Radius
23.	28031	80.30	25.30	1.60	0.875	2.50 mm corner radius
24.	12557	100.00	30.00	2.50	1.687	0.50 mm Corner Radius
25.	12622	120.00	40.00	2.00	1.684	0.50 mm Corner Radius
26.	12627	140.00	50.00	2.00	2.008	0.50 mm Corner Radius
27.	12628	150.00	20.00	2.00	1.792	0.50 mm Corner Radius
28.	41803	150.00	50.00	1.50	1.786	1.50 mm Center Wall
29.	12629	150.00	50.00	3.00	3.142	0.50 mm Corner Radius
30.	41804	200.00	70.00	2.00	3.229	2.00 mm Center Wall






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



Licence No. 4203

EQUAL ANGLES



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T				A	B	T	
01.	13045	10.00	10.00	2.00	0.097	32.	13020	35.00	35.00	3.50	0.628
02.	44027	15.00	15.00	0.90	0.071	33.	13033	35.00	35.00	4.00	0.713
03.	46082	15.00	15.00	1.00	0.078	34.	45055	40.00	40.00	0.80	0.171
04.	13001	15.00	15.00	1.10	0.086	35.	45044	40.00	40.00	0.90	0.192
05.	13030	15.00	15.00	1.50	0.115	36.	46087	40.00	40.00	1.00	0.213
06.	13027	15.00	15.00	2.00	0.151	37.	13021	40.00	40.00	1.20	0.255
07.	45065	20.00	20.00	0.70	0.074	38.	13022	40.00	40.00	1.50	0.318
08.	46083	20.00	20.00	1.00	0.105	39.	13012	40.00	40.00	2.00	0.421
09.	13002	20.00	20.00	1.05	0.110	40.	13013	40.00	40.00	3.00	0.624
10.	13063	20.00	20.00	1.20	0.125	41.	13406	40.00	40.00	3.20	0.664
11.	13003	20.00	20.00	1.50	0.156	42.	13014	40.00	40.00	4.00	0.821
12.	13004	20.00	20.00	2.00	0.205	43.	13046	40.00	40.00	5.00	1.013
13.	13041	20.00	20.00	3.00	0.300	44.	13047	45.00	45.00	3.00	0.705
14.	13439	25.00	25.00	0.90	0.119	45.	13035	45.00	45.00	5.00	1.148
15.	46084	25.00	25.00	1.00	0.132	46.	45061	50.00	50.00	0.80	0.214
16.	13005	25.00	25.00	1.50	0.196	47.	45045	50.00	50.00	0.90	0.241
17.	13018	25.00	25.00	2.00	0.259	48.	13043	50.00	50.00	2.00	0.529
18.	13023	25.00	25.00	3.00	0.380	49.	13015	50.00	50.00	3.00	0.786
19.	45056	30.00	30.00	0.70	0.112	50.	13016	50.00	50.00	4.00	1.037
20.	46205	30.00	30.00	0.90	0.144	51.	13017	50.00	50.00	5.00	1.283
21.	13006	30.00	30.00	1.00	0.159	52.	13431	50.00	50.00	6.00	1.523
22.	13007	30.00	30.00	1.50	0.237	53.	13036	55.00	55.00	5.00	1.418
23.	13008	30.00	30.00	2.00	0.313	54.	13044	60.00	60.00	2.00	0.637
24.	13026	30.00	30.00	2.40	0.373	55.	13048	60.00	60.00	3.00	0.948
25.	13009	30.00	30.00	2.50	0.338	56.	13028	60.00	60.00	4.00	1.252
26.	13010	30.00	30.00	3.00	0.462	57.	13019	60.00	60.00	5.00	1.552
27.	13031	30.00	30.00	4.00	0.605	58.	13037	60.00	60.00	6.00	1.847
28.	13067	30.00	30.00	5.00	0.743	59.	50381	60.33	60.33	4.04	1.272
29.	46086	35.00	35.00	1.00	0.186	60.	13049	70.00	70.00	3.00	1.110
30.	13040	35.00	35.00	2.00	0.367	61.	13038	70.00	70.00	4.00	1.469
31.	13011	35.00	35.00	3.00	0.542	62.	13039	70.00	70.00	7.00	2.514






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203

EQUAL ANGLES



Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T	
63.	13432	75.00	75.00	5.00	1.958
64.	13042	80.00	80.00	3.00	1.272
65.	13032	80.00	80.00	5.00	2.092
66.	13034	90.00	90.00	6.00	2.819
67.	13068	100.00	100.00	5.00	2.633
68.	13051	100.00	100.00	6.00	3.143
69.	13438	100.00	100.00	10.0	5.129
70.	13050	120.00	120.00	6.00	3.790






الشركة القطرية لسحب الألمنيوم
GATAR ALUMINIUM EXTRUSION CO.



License No. 4203

UNEQUAL ANGLES



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T				A	B	T	
01.	50223	13.50	10.00	1.00	0.060	32.	13461	50.00	30.00	3.00	0.624
02.	50200	17.00	15.00	1.50	0.124	33.	49086	60.00	18.00	1.50	0.310
03.	13444	20.00	10.00	2.00	0.151	34.	13453	60.00	20.00	2.00	0.421
04.	13029	20.00	15.00	1.50	0.135	35.	13472	60.00	25.00	3.00	0.664
05.	13451	20.00	15.00	2.00	0.178	36.	13454	60.00	30.00	2.00	0.475
06.	13416	22.00	20.00	2.00	0.216	37.	13474	60.00	30.00	3.00	0.705
07.	13466	25.00	15.00	1.50	0.156	38.	13465	60.00	30.00	4.00	0.929
08.	13414	25.00	18.00	1.50	0.168	39.	13403	60.00	40.00	2.00	0.529
09.	13413	30.00	14.00	3.00	0.330	40.	13470	60.00	40.00	3.00	0.786
10.	13473	30.00	15.00	2.00	0.232	41.	52101	75.00	50.00	3.00	0.988
11.	13408	30.00	20.00	1.50	0.196	42.	13450	75.00	50.00	5.00	1.620
12.	13412	30.00	20.00	2.00	0.260	43.	49088	80.00	18.00	1.50	0.391
13.	13452	30.00	20.00	3.00	0.381	44.	13475	80.00	20.00	2.00	0.529
14.	13445	30.00	25.00	3.00	0.421	45.	13457	80.00	25.00	2.00	0.556
15.	13409	30.00	25.00	4.00	0.551	46.	13476	80.00	30.00	3.00	0.867
16.	81233	32.00	20.00	1.60	0.218	47.	13467	80.00	40.00	3.00	0.948
17.	13400	35.00	20.00	2.00	0.286	48.	13405	80.00	40.00	4.00	1.252
18.	13448	40.00	15.00	2.00	0.286	49.	13455	80.00	50.00	6.00	2.009
19.	46208	40.00	20.00	0.90	0.144	50.	13446	80.00	60.00	1.50	0.561
20.	46088	40.00	20.00	1.00	0.159	51.	13468	100.00	25.00	2.00	0.664
21.	13415	40.00	20.00	2.00	0.312	52.	13458	100.00	30.00	3.00	1.029
22.	13463	40.00	20.00	3.00	0.462	53.	13443	100.00	40.00	4.00	1.469
23.	13407	40.00	20.00	4.00	0.605	54.	27904	100.00	43.00	3.00	1.133
24.	13449	40.00	25.00	3.00	0.502	55.	13426	100.00	50.00	5.00	1.957
25.	13410	40.00	25.00	6.00	0.956	56.	13411	100.00	50.00	6.00	2.333
26.	13460	40.00	30.00	3.00	0.543	57.	13442	100.00	64.00	8.00	3.370
27.	49085	50.00	20.00	1.50	0.277	58.	49091	120.00	18.00	1.70	0.624
28.	13441	50.00	20.00	2.00	0.367	59.	13462	120.00	25.00	2.00	0.772
29.	13471	50.00	25.00	2.00	0.394	60.	13469	120.00	80.00	8.00	4.147
30.	13456	50.00	25.00	3.00	0.583	61.	13437	125.00	75.00	5.00	2.633
31.	13464	50.00	30.00	2.00	0.421	62.	13440	130.00	30.00	3.00	1.272






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203


UNEQUAL ANGLES



Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T	
63.	13433	135.00	90.00	8.00	4.687
64.	13436	135.00	90.00	12.0	6.901
65.	13423	135.00	100.00	10.0	6.075
66.	13420	140.00	50.00	5.00	2.497
67.	13421	150.00	50.00	5.00	2.632
68.	13447	150.00	75.00	8.00	4.687
69.	13434	200.00	130.00	10.0	8.640
70.	13435	215.00	90.00	10.0	7.965
71.	13427	217.00	70.00	6.00	4.552




UNEQUAL ANGLES WITH CORNER RADIUS



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	48020	19.00	15.00	1.85	0.157	1.85 mm corner radius
02.	49081	20.00	15.00	1.20	0.109	Full Radius
03.	49082	25.00	20.00	1.20	0.141	Full Radius
04.	49083	30.00	18.00	1.20	0.151	Full Radius
05.	49084	40.00	18.00	1.20	0.183	Full Radius
06.	47333	40.00	60.00	6.00	1.466	Serration & Corner Radius
07.	13429	50.00	40.00	3.00	0.669	Full Radius
08.	47334	65.00	78.00	6.00	2.132	Serration & Corner Radius
09.	49087	70.00	18.00	1.50	0.349	Full Radius
10.	50205	75.00	50.00	4.00	1.298	1.5,2.0 & 3.0 mm Radius
11.	49089	90.00	18.00	1.50	0.430	Full Radius
12.	49090	100.00	18.00	1.70	0.532	Full Radius
13.	13430	100.00	60.00	5.00	2.081	2.00 mm corner radius
14.	52196	250.0	65.00	6.00	5.200	This shape 
15.	53039	140.0	59.50	3.00	1.581	1.8,2.0 & 10 mm Radius

EQUAL ANGLES WITH CORNER RADIUS



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	45052	20.00	20.00	0.85	0.089	Full Radius
02.	47447	25.00	25.00	1.20	0.158	R0.2 x 5 side cr Radius
03.	52008	30.00	30.00	2.00	0.306	4.0 & 2.0 Corner Radius
04.	47271	40.00	40.00	4.00	0.812	1.5 & 2.0 Cr & 0.3 Grooves
05.	50756	100.0	100.0	2.50	1.207	Corner Radius & Serrations




الشركة القطرية لسحب الألمنيوم
GATAR ALUMINIUM EXTRUSION CO.



Licence No. 4203

U CHANNEL UN EQUAL



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T				A	B	T	
01.	14400	8.00	12.00	1.50	0.118	32.	14426	30.00	15.00	3.00	0.437
02.	14437	12.00	14.00	1.50	0.150	33.	14438	30.00	20.00	2.00	0.356
03.	14427	12.00	20.00	2.00	0.259	34.	14456	34.00	15.00	1.50	0.247
04.	41802	12.40	25.00	1.20	0.195	35.	14406	34.00	20.00	1.50	0.288
05.	50155	14.00	12.00	3.00	0.235	36.	14401	40.00	20.00	1.20	0.251
06.	50158	14.00	15.50	3.00	0.282	37.	14405	40.00	20.00	1.50	0.311
07.	41801	14.40	20.00	1.20	0.169	38.	14402	40.00	20.00	1.80	0.371
08.	41800	14.40	30.00	1.20	0.233	39.	64053	40.00	20.00	1.85	0.381
09.	14404	15.00	10.00	1.20	0.106	40.	14458	40.00	20.00	2.00	0.410
10.	99405	15.00	10.00	2.00	0.167	41.	14408	40.00	25.00	2.00	0.464
11.	14420	15.00	20.00	2.00	0.275	42.	14422	40.00	30.00	4.00	0.994
12.	14455	15.00	30.00	1.50	0.291	43.	14007	43.00	8.00	1.00	0.215
13.	45058	20.00	10.00	0.90	0.093	44.	14421	45.00	25.00	3.00	0.721
14.	14460	20.00	15.00	2.00	0.248	45.	14003	50.00	20.00	1.50	0.352
15.	14433	20.00	30.00	1.50	0.312	46.	14419	50.00	25.00	2.50	0.641
16.	14429	20.00	30.00	2.00	0.410	47.	14439	50.00	100.00	3.00	1.976
17.	14434	20.00	30.00	3.00	0.599	48.	49158	54.00	38.00	1.20	0.413
18.	14430	20.00	40.00	2.00	0.518	49.	14442	55.00	30.00	4.00	1.156
19.	14410	22.00	30.00	2.00	0.421	50.	53055	56.00	50.00	3.00	1.215
20.	45072	23.00	10.00	1.00	0.110	51.	14411	60.00	6.00	1.50	0.280
21.	45042	25.00	10.00	1.30	0.149	52.	52112	70.00	100.00	8.00	5.486
22.	45041	25.00	15.00	1.30	0.184	53.	51013	74.00	50.00	1.20	0.556
23.	14425	25.00	15.00	2.00	0.275	54.	14445	75.00	21.00	2.00	0.610
24.	14431	25.00	20.00	2.00	0.329	55.	14446	75.00	38.00	2.00	0.794
25.	81234	25.00	22.00	1.20	0.216	56.	49157	80.00	38.00	1.20	0.498
26.	14444	25.00	30.00	2.00	0.437	57.	14403	80.00	40.00	2.00	0.842
27.	14441	25.00	35.00	2.00	0.491	58.	14409	80.00	40.00	5.00	2.024
28.	14416	27.00	15.00	4.00	0.529	59.	14432	80.00	50.00	5.00	2.295
29.	14447	30.00	12.00	1.50	0.206	60.	14435	86.00	40.00	2.90	1.254
30.	45063	30.00	15.00	1.00	0.157	61.	14459	100.00	8.00	1.40	0.428
31.	45040	30.00	15.00	1.30	0.201	62.	50676	100.00	20.00	2.00	0.734






الشركة القطرية لسحب الألمنيوم
QATAR ALUMINIUM EXTRUSION CO.



License No. 4203


U CHANNEL UN EQUAL WITH CORNER RADIUS



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	41141	18.00	18.50	1.15	0.163	Full Radius & ID Mark
02.	14452	18.60	18.40	0.80	0.116	0.3 mm & Full Radius
03.	49152	18.00	20.00	1.30	0.199	Customer ID mark
04.	46445	19.90	11.40	1.40	0.151	0.3 & 2.0 mm corner radius
05.	50204	20.00	30.00	2.00	0.400	Serrations
06.	47285	20.20	20.00	1.40	0.211	Corner Radius & Serrations
07.	47288	24.20	20.00	1.40	0.226	Corner Radius & Serrations
08.	81220	27.80	20.00	1.20	0.211	Full Radius & Cr Radius
09.	81219	27.80	30.00	1.20	0.276	Full Radius & Cr Radius
10.	47202	30.00	15.00	0.90	0.141	0.3 radius & 0.3x113 ^g groove
11.	14457	40.00	20.00	1.40	0.291	0.3 mm & Full Radius
12.	53050	40.00	20.00	2.00	0.406	2.0 Corner radius
13.	47364	47.00	43.30	3.00	1.030	1.0 mm Cr & V Groove
14.	28020	76.20	22.20	2.20	0.549	Corner Radius & Serrations
15.	52021	82.00	50.00	3.00	1.394	3.0 & 6.0 mm corner radius
16.	81004	84.70	16.00	1.20	0.376	Full Radius & Bottom Step
17.	14443	89.00	35.00	3.00	1.238	1.0 mm Cr & V Groove
18.	52005	94.00	80.00	2.00	1.344	2.0 mm & Full Radius
19.	52020	98.00	80.00	3.00	2.007	1.5, 3.0 & 6.0 mm Radius
20.	47317	100.00	72.80	Vr	3.207	Thickness Variation & Cr
21.	81043	126.80	16.00	1.30	0.570	10mm Side Wall Radius
22.	50613	131.00	30.00	1.20	0.591	Bottom 0.2mm Serrations




U CHANNEL EQUAL



Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T	
01.	45054	10.00	10.00	0.90	0.069
02.	45043	10.00	10.00	1.30	0.096
03.	14018	10.00	10.00	1.50	0.109
04.	14015	12.50	12.50	1.50	0.140
05.	14012	15.00	15.00	1.50	0.170
06.	14005	15.00	15.00	2.00	0.221
07.	14013	18.00	18.00	2.00	0.270
08.	14010	20.00	20.00	2.00	0.302
09.	14009	22.00	22.00	2.00	0.335
10.	14011	25.00	25.00	2.00	0.383
11.	14014	25.00	25.00	3.00	0.559
12.	14017	30.00	30.00	2.00	0.464
13.	14004	30.00	30.00	2.50	0.574
14.	14001	33.00	33.00	1.50	0.388
15.	52019	35.00	35.00	2.00	0.545
16.	14006	50.00	50.00	3.00	1.166
17.	14016	50.00	50.00	4.00	1.534
18.	14008	95.00	95.00	2.20	1.656

T-SECTIONS



Sl.	SEC NO.	Description			WEIGHT kg/mtr
		A	B	T	
01.	15410	15.00	15.00	2.00	0.151
02.	15408	20.00	20.00	2.00	0.205
03.	15411	45.00	45.00	3.00	0.705
04.	15413	40.00	40.00	4.00	0.821
05.	15412	50.00	50.00	3.00	0.786
06.	15407	50.00	50.00	4.00	1.037
07.	45068	59.80	49.40	2.50	0.720
08.	15403	60.00	60.00	4.00	1.253
09.	15409	80.00	80.00	8.00	3.283
10.	15406	90.00	50.00	5.00	1.822
11.	15404	100.00	75.00	5.00	2.294
12.	15402	110.00	45.00	3.00	1.230
13.	15405	150.00	53.00	3.00	1.620



الشركة القطرية لسحب الألمنيوم
GATAR ALUMINIUM EXTRUSION CO.




License No. 4203

UN EQUAL T-SECTIONS, I BEAM & Z TYPE SECTIONS




UN EQUAL T-SECTIONS




Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	50221	16.50	11.50	8/1.5	0.088	Unequal T
02.	50191	18.00	16.50	1/1.5	0.113	Unequal T
03.	51162	17.50	47.00	1.20	0.198	Full Radius & Unequal T
04.	50220	25.00	18.00	1/1.5	0.136	Unequal T
05.	50187	25.00	32.00	1/1.5	0.193	Unequal T
06.	51158	25.40	53.00	1.15	0.239	Full Radius
07.	50188	30.50	11.50	1/1.5	0.151	Unequal T
08.	50294	48.00	30.00	1.50	0.310	Unequal T
09.	15414	30.00	15.00	1.50	0.176	Unequal T
10.	50206	50.10	70.00	2.00	0.691	Full Radius & Unequal T
11.	62102	75.50	30.00	5.00	1.348	1.00 mm Cr & V Groove
12.	50434	110.00	120.00	7/10	4.938	Side Wall Serrations
13.	53038	120.00	50.00	2.20	0.938	2.00 mm Radius
14.	50430	145.00	135.00	13.9	7.631	Serrations & Unequal T

I-BEAM SECTIONS



Sl.	SEC NO.	Description			WEIGHT kg/mtr	Remarks
		A	B	T		
01.	50410	23.70	15.40	1.50	0.242	
02.	15904	90.00	200.0	8/5.5	6.620	
03.	50621	120.0	200.0	6/8.0	8.313	8mm Radius
04.	50587	46.20	26.00	Vr	0.502	Unequal I

Z -TYPE SECTIONS



Sl.	SEC NO.	Description				WEIGHT kg/mtr
		A	B	C	T	
01.	50787	25.00	25.00	25.00	3.00	0.559
02.	13901	27.00	25.00	25.00	2.00	0.394

